

SMITH H III

Product Number: 810AA  
Issuing Date: June 20, 2013

Revision Date: None

Product Name: 70% Isopropyl Alcohol  
Revision Number: 0



# VI-JON<sup>®</sup> Safety Data Sheet

for Health and Beauty Products

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** 70% Isopropyl Alcohol

**Item Number:** 810AA

**Recommended Use:** First-Aid

**Supplier Address:** Vi-Jon, Inc. (Swan)  
8515 Page Avenue  
Saint Louis, MO 63114

**General Information Contact:** Phone: 314-427-1000 (M-F 8am-4pm CST)  
Email: info@vijon.com

**In Case of Spill Emergency Contact:** Chemtrec: 1-800-424-9300 (24-Hour)

## 2. HAZARDS IDENTIFICATION FOR INDUSTRIAL SETTING

**CAUTION!**

**Emergency Overview**

**FLAMMABLE LIQUID AND VAPOR**  
Irritating to eyes  
Harmful if swallowed

**Appearance:** Clear, Colorless, Water-thin liquid      **Physical State:** Water-thin liquid      **Odor:** Alcohol

**Potential Health Effects**

**Primary Routes of Exposure:** Skin contact.

**Acute Toxicity:**

- Eyes:** Irritating to eyes.
- Skin:** Non-irritating during normal use. Prolonged or repeated contact may dry skin and cause irritation.
- Inhalation:** Inhalation of vapors in high concentration may cause irritation of respiratory system.
- Ingestion:** Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause central nervous system depression.

**Chronic Effects:** Avoid repeated exposure.

**Aggravated Medical Conditions:** Pre-existing eye disorders. Kidney disorders. Skin disorders. Respiratory disorders. Liver disorders.

**Environmental Hazard:** See Section 12 for additional Ecological Information.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Isopropyl Alcohol 70% v/v	67-63-0	70
Water 30% v/v	7732-18-5	30

#### 4. FIRST AID MEASURES

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
<b>Skin Contact</b>	In the case of skin irritation or allergic reactions see a physician.
<b>Inhalation</b>	Move to fresh air. Apply artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If symptoms persist, call a physician.
<b>Ingestion</b>	Call a physician or Poison Control Center immediately. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.
<b>Notes to Physician</b>	Treat symptomatically. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.
<b>Protection of First-aiders</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Containers may explode when heated. Many liquids are lighter than water.
<b>Flash Point</b>	22C / 71F
<b>Suitable Extinguishing Media</b>	Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO <sub>2</sub> , water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do so without risk.
<b>Uniform Fire Code</b>	<ul style="list-style-type: none"><li>• Flammable Liquid: I-B</li><li>• Irritant: Liquid</li></ul>
<b>Unsuitable Extinguishing Media</b>	CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient. Do not use a solid water stream as it may scatter and spread fire.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	No.
<b>Specific Hazards Arising from the Chemical</b>	Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep product and empty container away from heat and sources of ignition. Risk of ignition.
<b>Sensitivity to Static Discharge</b>	Yes.
<b>Protective Equipment and Precautions for Firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do so without risk.

<b>NFPA</b>	<b>Health Hazard 1</b>	<b>Flammability 3</b>	<b>Stability 0</b>	<b>Physical and Chemical Hazards - None</b>
-------------	------------------------	-----------------------	--------------------	---

#### 6. ACCIDENTAL RELEASE MEASURES FOR INDUSTRIAL SETTING

<b>Personal Precautions</b>	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Take precautionary measures against static discharges. Use personal protective equipment. Avoid contact with eyes.
<b>Environmental Precautions</b>	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for Cleaning Up</b>	Use personal protective equipment. Damp up. Absorb with earth, sand or other non-combustible material. Use clean non-sparking tools to collect absorbed material. Keep in suitable and closed containers for disposal. Clean contaminated surface thoroughly.
<b>Other Information</b>	Water spray may reduce vapor, but may not prevent ignition in closed spaces.

**7. HANDLING AND STORAGE FOR INDUSTRIAL SETTING**

**Handling** Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Wear personal protective equipment. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Storage** Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION FOR INDUSTRIAL SETTING**

**Exposure Guidelines** There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Engineering Measures** Showers  
 Eyewash stations  
 Ventilation systems

**Personal Protective Equipment**

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Protective gloves.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Clear, Colorless, Water-thin liquid	<b>Odor</b>	Alcohol
<b>Odor Threshold</b>	No information available	<b>Physical State</b>	Water-thin liquid
<b>pH</b>	No information available		
<b>Flash Point</b>	71°F / 22°C	<b>Autolignition Temperature</b>	No information available
<b>Decomposition Temperature</b>	No information available	<b>Boiling Point/Range</b>	78°C / 173°F
<b>Melting Point/Range</b>	No information available		
<b>Flammability Limits in Air</b>	No information available	<b>Explosion Limits</b>	No information available
<b>Water Solubility</b>	Miscible in water.	<b>Solubility</b>	No information available
<b>Evaporation Rate</b>	No information available	<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available	<b>Partition Coefficient: n-octanol/water</b>	N/A

**10. STABILITY AND REACTIVITY FOR INDUSTRIAL SETTING**

**Stability** Stable under recommended storage conditions.

**Incompatible Products** Strong oxidizing agents.

**Conditions to Avoid** Heat, flames and sparks. When used in accordance with the directions.

**Hazardous Decomposition Products** Carbon oxides.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Product Number: 810AA  
Issuing Date: June 20, 2013

Revision Date: None

Product Name: 70% Isopropyl Alcohol  
Revision Number: 0

### 11. TOXICOLOGICAL INFORMATION FOR INDUSTRIAL SETTING

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

#### Acute Toxicity

##### Product Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl Alcohol	4396 mg/kg ( Rat )	12800 mg/kg ( Rat ) 12870 mg/kg ( Rabbit )	72.6 mg/L ( Rat ) 4 h
Water	> 90 mL/kg ( Rat )	-	-

#### Chronic Toxicity

Chronic Toxicity Avoid repeated exposure.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		

IARC: (International Agency for Research on Cancer)  
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Respiratory system.

### 12. ECOLOGICAL INFORMATION FOR INDUSTRIAL SETTING

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

### 13. DISPOSAL CONSIDERATIONS FOR INDUSTRIAL SETTING

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261).

Contaminated Packaging Dispose of in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California EHW	California Carc	California Hazardous Waste	California Waste - Part 2
Isopropyl Alcohol			Toxic Ignitable	

### 14. TRANSPORT INFORMATION

Emergency Response Guide Number 129

#### DOT

Description CONSUMER COMMODITY, ORM-D

#### TDG

Description UN1219, ISOPROPANOL, 3, PG II

#### MEX

Description UN1219 Isopropanol, 3, II

#### ICAO

Description UN1219, Isopropyl alcohol, 3, PG II

#### IATA

Description UN1219, Isopropyl alcohol, 3, PG II

#### IMDG/IMO

Description UN1219, Isopropanol, 3, PG II

Product Number: 810AA  
 Issuing Date: June 20, 2013

Revision Date: None

Product Name: 70% Isopropyl Alcohol  
 Revision Number: 0

**15. REGULATORY INFORMATION FOR INDUSTRIAL SETTING**

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

**International Inventories**

TSCA Exempt  
 DSL Not determined

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard Yes  
 Chronic Health Hazard No  
 Fire Hazard Yes  
 Sudden Release of Pressure Hazard No  
 Reactive Hazard No

**Clean Water Act**

This product does not contain any ingredients which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any ingredients which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act.

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations**

**California Proposition 65 – None**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations For Industrial Setting**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isopropyl Alcohol	X	X	X		X

**International Regulations**

Mexico - Grade Severe risk, Grade 4

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl Alcohol		Mexico: TWA 400 ppm Mexico: TWA 980 mg/m <sup>3</sup> Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m <sup>3</sup>

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

B2  
 D2B



Chemical Name	NPRI
Isopropyl Alcohol	X

Legend  
 NPRI - National Pollutant Release Inventory

Product Number: 810AA  
Issuing Date: June 20, 2013

Revision Date: None

Product Name: 70% Isopropyl Alcohol  
Revision Number: 0

**16 OTHER INFORMATION**

**Prepared By** WERCS Professional Services, LLC  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** June 20, 2013

**Revision Date** None

**Revision Note** None

**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Approved and Updated by VI-Jon, Inc.

**Disclaimer:**

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

VI-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will VI-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet