MATERIAL SAFETY DATA SHEET



SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: CAS Number:

WaterWeld Mixture

Hazard Rating:

Health: 1 Fire: 1 Reactivity: 0 PPI: B

Company Identification:

POLYMERIC SYSTEMS, INC. 723 WHEATLAND STREET PHOENIXVILLE PA 19460

Contact:

I. David Crossan

Telephone/Fax:

(610) 935-1170 / (610) 935-7123

Emergency Phone (24 Hour):

(800) 424-9300

(610) 935-1170 (800) 424-9300

Chemtrec (24 Hour): Preparer:

I. David Crossan **Technical Director**

Product Class: Trade Name: **Product Code:**

EPOXY PUTTY WaterWeld

Shipping Name:

415490050

PUTTY, NMFC 150110

SECTION II - INGREDIENT AND HAZARD INFORMATION

Ingredient Name CAS Number TSCA Percent Glycidyl ethers of bisphenol A resins 10 - 30 25068-38-6 Υ HMIS Health: 2 Fire: 1 Reactivity: 0 PPI: B Tri(dimethylaminomethyl)phenol Υ 90-72-2 0.5 - 1.5HMIS Health: 3 Fire: 1 Reactivity: 1 PPI: D Zinc sulfide 1314-98-3 0.5 - 1.5Y HMIS Health: 1 Fire: 0 Reactivity: 0 PPI: E

*** ALL Ingredients in this product are listed in the T.S.C.A. Inventory

SECTION III - PHYSICAL DATA

Form:

Putty

Appearance/Color:

White/Neutral

Odor: Solubility (in water): Sulfur, Mercaptan Insoluble in Water

pH Value:

Not Applicable Not Applicable

Boiling Range: Vapor Pressure (mmHg):

Not Applicable Not Applicable

Melting Point: Evaporation Rate: Vapor Density:

Non Volatile Non Volatile

% Volatile Weight:

0.% < 1%

% Volatile: VOC:

< 1%

Heavy Elements (ppm): Specific Gravity:

0. 1.95

NOTE:

The physical data represented above are typical values and should not be construed as a specification. For additional physical data and details on use, please obtain a technical data sheet for this product.

MSDS Name: MSD\$ Number: WaterWeld 415490050 **Version Number** MSDS Date:

3/10/2004

Page Number: 1 of 4

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class:

IIIB

Flash Range:

Not Applicable

Explosive Range:

Not Applicable

EXTINGUISHING MEDIA:

Water spray, foam, CO2, dry chemicals.

UNUSUAL HAZARDS:

Aldehydes, acids, and oxides of carbon, nitrogen, and sulfur.

FIRE FIGHTING

Fire Fighters and others who may be exposed to the products of combustion should be equipped with NIOSH-approved positive pressure self contained breathing apparatus (SCBA) and full protective clothing.

SECTION V - HEALTH HAZARD DATA

Glycidyl ethers of bisphenol A resins	Route	Species	Exposure and Dose
Tri(dimethylaminomethyl)phenol	Oral Skin	Rat, adult Rabbit, adult	LD50 5000. mg/Kg LD50 20000. mg/Kg
ringamoury authorited by specific	Oral	Rat, adult	LD50 1630. mg/Kg

PERMISSIBLE EXPOSURE LEVEL:

Not Applicable

EFFECTS OF OVEREXPOSURE:

Inhalation:

None

Ingestion:

Irritation of intestinal tract

Skin Contact:

Possible irritant and sensitizer.

Eye Contact:

Possible irritant and sensitizer.

FIRST AID:

Inhalation: Ingestion: Remove to fresh air.

Skin Contact:

Seek medical advice.
Wash with plenty of soap and water.

Eye Contact:

Flush with water for at least 15 minutes. Seek medical advice.

NOTE:

Never give anything by mouth to an unconscious person.

SECTION VI - STABILITY AND REACTIVITY DATA

Stability:

This product is stable

Hazardous Polymerization:

Hazardous polymerization will not occur

INCOMPATIBILITY

None

CONDITIONS TO AVOID:

None

HAZARDOUS DECOMPOSITION PRODUCTS:

Aldehydes, acids, and oxides of carbon, nitrogen, and sulfur.

MSDS Name: MSDS Number:

WaterWeld 415490050

Version Number MSDS Date:

2 3/10/2004 Page Number: 2 of 4

SECTION VII - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN:

Spills or leaks: Dispose of in normal manner.

WASTE DISPOSAL METHOD:

Incinerate in furnace or bury in landfill in accordance with all applicable regulations; not a hazardous waste.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL Glycidyl ethers of bisphenol A resins

N/est N/est N/est N/est N/est

Tri(dimethylaminomethyl)phenol 5.00 PPM N/est N/est N/est N/est N/est

Zinc sulfide
5.00 mg/M³ N/est N/est N/est 5.00 mg/M³

PROTECTIVE EQUIPMENT TYPES:

Eyes: Safety glasses or goggles.

Respiratory: None required unless sanding or abrading.

Gloves: Appropriate impervious gloves. Because a variety of protective gloves exist,

consult glove manufacturer to determine the proper type for a specific

operation.

Other: None Required.

VENTILATION:

General Mechanical: None Required

Local Exhaust: Only if heated above 100F (38C)

SECTION IX - HANDLING AND STORAGE

Storage Temperature: < 90F (32C)

Storage Conditions: Store in cool, dry, well ventilated area.

Transfer: No special precautions are needed. Follow good manufacturing and handling practices.

Personal Hygiene: Wash thoroughly after handling, especially before eating, drinking, smoking and using restroom facilities. Wash contaminated goggles, face shield, and gloves. Professionally launder contaminated clothing before re-use.

Empty container precautions: Attention! This container can be hazardous when empty. Follow label cautions even

after the container is empty since empty containers could retain product residues. Do not re-use empty containers for food, clothing, or products for human or animal consumption, or where skin contact can occur.

SECTION X - REGULATORY INFORMATION

SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

Ingredient NameCAS NumberPercentZinc sulfide1314-98-30.5 - 1.5

MSDS Name: WaterWeld Version Number 2 Page Number: 3 of 4

MSDS Number: 415490050 MSDS Date: 3/10/2004

Right-to-Know:

The non-hazardous ingredients in the product subject to the Pennsylvania, New Jersey, and/or Massachusetts Rightto-Know laws are:

CAS

14807-96-6 Trade Secret

65997-17-3

Chemical Name

Magnesium Silicate Hydrate Polyether Polymercaptan

Sodium Calcium Magnesium Silicate

NOTE:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions - in addition to those described herein - are required. Any health hazard and safety information herein should be passed on to your customers or employees as the case may be.

DISCLAMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other natures are made hereunder with respect to the information refers. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

MSDS Name: MSDS Number: WaterWeld 415490050 **Version Number** MSDS Date:

3/10/2004

Page Number: 4 of 4